

2022 Ascent Compare Specs



Highlights

Standard

Standard

Standard

Starting Price	*							
\$32,795	\$35,295	\$36,755	\$38,495	\$40,095	\$40,095	\$45,945		
Up to MPG**	(hwy/city)							
27/21	27/21	27/21	26/20	26/20	26/20	26/20		
Engine								
2.4-liter turbocharged SUBARU BOXER 4-cylinder								
Symmetrical	Symmetrical All-Wheel Drive							

Standard

Standard

Standard

Standard

Vehicle Dynar	mics Control (VI	OC)							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Leather-trimmed upholstery									
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard			
Power tilt/slid	ing panoramic n	noonroof							
① 95% UV light reducing									
Not Available	Not Available	Not Available	Optional	Optional	Optional	Standard			
7-passenger s	seating (second-	row captain's ch	nairs)						
Not Available	Not Available	Standard	Standard	Not Available	Standard	Standard			
8-passenger s	seating (second-	row bench seat)							
Standard	Standard	Not Available	Not Available	Standard	Not Available	Not Available			
SUBARU STA	RLINK Multimed	² lia							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
EyeSight Driv	er Assist Techn	ology							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
20-inch alloy	wheels								
Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard			
Engine/Ch	assis								
Engine and D	rivetrain								
2.4-liter DOHO	turbocharged e	engine							
	direct-injection turboo alve Control System (aluminum-alloy 16-va	lve 4-cylinder horizon	tally opposed SUBAF	RU BOXER engine			
Standard	Standard	Standard	Standard	Standard	Standard	Standard			

Power: 260 hp @ 5,600 rpm

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Standard Sta	Torque: 277 lb	o-ft @ 2,000 - 4,8	800 rpm				
Lineartronic CVT (Continuously Variable Transmission) with Adaptive Control, Auto Vehicle Hold, and 8-speed manual mode with paddle hilliers Standard Stand	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard Sta	Lineartronic C	CVT (Continuous	sly Variable Tran	smission)			
Asximum towing capacity 2,000 lbs. 5,000 lb	i Lineartronic CV shifters	T (Continuously Varia	able Transmission) wit	th Adaptive Control, A	auto Vehicle Hold, and	d 8-speed manual mo	de with paddle
2,000 lbs. 5,000 lbs.	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Stability and Traction Stubaru Symmetrical All-Wheel Drive Standard Stand	Maximum tow	ring capacity					
Standard Sta	2,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.
Standard Sta	Stability and	Fraction					
C-MODE O X-MODE optimizes engine output and transmission ratio, increases all-wheel drive system engagement and uses enhanced control of the VI system to reduce individual wheelspin, providing optimal traction on low friction surfaces Standard	Subaru Symm	netrical All-Whee	el Drive				
Example output and transmission ratio, increases all-wheel drive system engagement and uses enhanced control of the Vistem to reduce individual wheelspin, providing optimal traction on low friction surfaces Standard St	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard VPC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking. VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Sta	X-MODE						
Active Torque Vectoring A-MODE also incorporates Hill Descent Control (HDC) that helps to maintain a constant vehicle speed when traveling downhill, enhancing ehicle control. Standard Standa						ent and uses enhance	ed control of the VI
X-MODE also incorporates Hill Descent Control (HDC) that helps to maintain a constant vehicle speed when traveling downhill, enhancing ehicle control. Standard VPC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Stan	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard VDC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Sta	Hill Descent C	Control (HDC)					
Pehicle Dynamics Control (VDC) Standard VDC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Standar	i X-MODE also in vehicle control.	ncorporates Hill Desce	ent Control (HDC) tha	t helps to maintain a	constant vehicle spee	d when traveling dow	nhill, enhancing
Standard VDC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Sta	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard	Vehicle Dynar	mics Control (VD	OC)				
Traction Control System (TCS) VDC also incorporates an all-wheel, all-speed traction control system, which senses a loss of traction and applies braking force to the slipping wheel or wheels as necessary to maintain vehicle motion. Standard Active Torque Vectoring Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn, more neutral steering, and higher cornering limits while turning.	rate, and lateral g-	forces. If VDC detects	s a difference between	n the driver's intended	r wheel speeds, steer d path and the one the	ing angle, brake prese vehicle is actually ta	sure, vehicle yaw king, VDC applies
VDC also incorporates an all-wheel, all-speed traction control system, which senses a loss of traction and applies braking force to the slippin wheel or wheels as necessary to maintain vehicle motion. Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard Active Torque Vectoring Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn n, more neutral steering, and higher cornering limits while turning.	Traction Cont	rol System (TCS	5)				
Active Torque Vectoring Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn, more neutral steering, and higher cornering limits while turning.				trol system, which ser	nses a loss of traction	and applies braking	force to the slippin
Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn, more neutral steering, and higher cornering limits while turning.	Standard	Standard	Standard	Standard	Standard	Standard	Standard
n, more neutral steering, and higher cornering limits while turning.	Active Torque	• Vectoring					
Standard Standard Standard Standard Standard Standard Standard					he inside front wheel	resulting in better har	ndling, sharper turi
	Standard	Standard	Standard	Standard	Standard	Standard	Standard

1 Trailer Stability Assist senses any unsafe yaw conditions and automatically applies braking to specific wheels to help driver maintain vehicle Standard Standard Standard Standard Standard Standard Standard **Fuel** Fuel economy** (hwy/city): 26/20 MPG Not Available Not Available Not Available Standard Standard Standard Standard Fuel economy** (hwy/city): 27/21 MPG Standard Standard Standard Not Available Not Available Not Available Not Available Fuel requirement: Unleaded gasoline (87 octane) Standard Standard Standard Standard Standard Standard Standard Fuel tank capacity: 19.3 gal. Standard Standard Standard Standard Standard Standard Standard Chassis **Electric Power Assisted Steering (EPAS)** © Electric power-assisted rack-and-pinion steering (EPAS), turning circle: 38.0 feet. Standard Standard Standard Standard Standard Standard Standard 4-wheel independent raised suspension © Front: MacPherson strut type. Stabilizer bar. Rear: double-wishbone. Stabilizer bar. Standard Standard Standard Standard Standard Standard Standard 4-wheel disc ventilated front and rear brakes ① 4-wheel disc brakes, ventilated front and rear. 4-channel, 4-sensor ABS with Electronic Brake-force Distribution (EBD), 13.1 inches/13.0 inches front/rear Standard Standard Standard Standard Standard Standard Standard **Brake Assist** ① When emergency braking is detected by how quickly the brake pedal is pressed, maximum brake pressure is immediately applied Standard Standard Standard Standard Standard Standard Standard **Brake Override System** 1 If both brake and accelerator pedals are pressed simultaneously, the system reduces the operation of the accelerator pedal to help prevent unintentional vehicle acceleration

Trailer Stability Assist (TSA)

Standard Standard Standard Standard Standard Standard

Exterior

Dimensions

Length/Width	/Height					
196.8 inches/76.0 inches/71.6 inches (with roof rails)						
Wheelbase						
113.8 inches						
Track (front/re	ear)					
64.4 inches/64.2 inches	·	64.4 inches/64.2 inches				
Base curb we	ight					
4,430 lbs.	4,453lbs.	4,449 lbs.	4,472 lbs.	4,515 lbs.	4,499 lbs.	4,603 lbs.
Ground cleara	ance (at base cu	rb weight)				
8.7 inches						
Wheels and T	ires					
18 x 7.5-inch	aluminum-alloy	wheels. Silver fi	nish			
Standard	Not Available					
18 x 7.5-inch	aluminum-alloy	wheels. Gray w/	machine finish			
Not Available	Standard	Standard	Not Available	Not Available	Not Available	Not Available
20 x 7.5-inch	aluminum-alloy	wheels. Dark gra	ay w/ machine fii	nish		
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard
20 x 7.5-inch	aluminum-alloy	wheels. Black fii	nish			
Not Available	Not Available	Not Available	Standard	Not Available	Not Available	Not Available

245/60 R18 105H all-season tires									
Standard	Standard	Standard	Not Available	Not Available	Not Available	Not Available			
245/50 R20 102H all-season tires									
Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard			
Temporary us	e T165/90 D18 s	pare tire							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Features									
LED Steering	Responsive Hea	adlights (SRH)							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
LED fog lights	S								
Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard			
Black folding	side mirrors								
Standard	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available			
Body-color fo	lding side mirro	rs							
Not Available	Standard	Standard	Not Available	Not Available	Not Available	Not Available			
Body-color fo	lding side mirro	rs w/ integrated	turn signal						
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Not Available			
Crystal Black	Silica-finish fold	ding side mirrors	5						
Not Available	Not Available	Not Available	Standard	Not Available	Not Available	Not Available			
Satin chrome	power-folding s	ide mirrors w/ in	ntegrated turn si	gnals					
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard			
Body-color do	oor handles								
Standard	Standard	Standard	Standard	Standard	Standard	Not Available			
Chrome door	handles								
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard			

i Two-speed win	dshield winers with va	riable intermittent mo	do and mist foature			
o op sou will	domeia wipero with ve		de and mist leature			
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Windshield w	iper de-icer					
i Windshield wip	er de-icer and heated	side mirrors (All-Wea	ther Package)			
Not Available	Standard	Standard	Standard	Standard	Standard	Standard
Power tilt/slid	ling panoramic g	lass moonroof				
i 95% UV light re	1 educing					
Not Available	Not Available	Not Available	Optional	Optional	Optional	Standard
Rear window	wiper					
i) Single-speed re	ear window wiper with	fixed intermittent mod	de			
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Raised roof ra	ails					
Standard	Standard	Standard	Standard	Standard	Standard	Standard
nterior						
Dimensions						
Dimensions	ont/middle/rear)					
Dimensions	ont/middle/rear) 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	40.1 inches/38.7 inches/ 36.2 inches
Dimensions Headroom (from 1.3 inches/40.0 inches/36.2 inches	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/
Dimensions Headroom (from 1.3 inches/40.0 inches/36.2 inches Legroom (from 1.5 inches/40.0 inches/40	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with	inches/
Dimensions Headroom (from 1.3 inches/40.0 inches/36.2 inches Legroom (from 1.2 inches/38.6 inches/31.7 inches	41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) ant/middle/rear) 42.2 inches/38.6 inches/31.7	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) 42.2 inches/38.6 inches/31.7 inches	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) 42.2 inches/38.6 inches/31.7	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof)	inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) 42.2 inches/38.6 inches/31.7	inches/ 36.2 inches 42.2 inches/38.6 inches/31.7

Two-speed windshield wipers

Passenger vo	lume								
153.5 cubic feet	153.5 cubic feet (150 cubic feet with moonroof)	153.5 cubic feet (150 cubic feet with moonroof)	153.5 cubic feet (150 cubic feet with moonroof)	153.5 cubic feet (150 cubic feet with moonroof)	153.5 cubic feet (150 cubic feet with moonroof)	150 cubic feet			
Cargo volume (behind second row)									
43.5 cubic feet	43.5 cubic feet (42.1 cubic feet with moonroof)	43.5 cubic feet (42.1 cubic feet with moonroof)	43.5 cubic feet (42.1 cubic feet with moonroof)	43.5 cubic feet (42.1 cubic feet with moonroof)	43.5 cubic feet (42.1 cubic feet with moonroof)	42.1 cubic feet			
Maximum car	go volume (behi	nd first row)							
75.6 cubic feet	75.6 cubic feet (72.8 cubic feet with moonroof)	75.6 cubic feet (72.8 cubic feet with moonroof)	75.6 cubic feet (72.8 cubic feet with moonroof)	75.6 cubic feet (72.8 cubic feet with moonroof)	75.6 cubic feet (72.8 cubic feet with moonroof)	72.8 cubic feet			
Seating and T	rim								
6-way manual	ly adjustable dr	iver's seat							
(i) 6-way manually	adjustable driver's se	eat; 4-way manually a	djustable front-passe	nger's seat					
Standard	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available			
8-way power a	adjustable drive	r's seat							
i 8-way power ac	8-way power adjustable driver's seat; 4-way manually adjustable front-passenger's seat								
Not Available	Standard	Standard	Standard	Not Available	Not Available	Not Available			
Power adjusta	able driver and f	ront-passenger	seats						
i) 10-way power a passenger's seat	adjustable driver's sea	at with power adjustab	le lumbar support and	d 2-position memory f	unction; 4-way power	adjustable front-			
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard			
Heated front s	seats (All-Weath	er Package)							
Not Available	Standard	Standard	Standard	Standard	Standard	Standard			
Ventilated from	nt seats								
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard			
Heated secon	d-row seats								
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard			
Heated steering	ng wheel								
Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard			

Reclining second-row 60/40-split flat-folding seatbacks									
Standard	Standard	Not Available	Not Available	Standard	Not Available	Not Available			
Reclining third-row 60/40-split flat-folding seatbacks									
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Second-row bench seat									
Standard	Standard	Not Available	Not Available	Standard	Not Available	Not Available			
Second-row c	aptain's chairs								
Not Available	Not Available	Standard	Standard	Not Available	Standard	Standard			
Leather-wrap	ped steering who	eel and shifter h	andle						
Not Available	Standard	Standard	Standard	Standard	Standard	Standard			
Cloth upholst	ery								
Standard	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available			
Stain-resistan	t cloth upholste	ry							
Not Available	Standard	Standard	Not Available	Not Available	Not Available	Not Available			
StarTex water	repellent uphol	stery							
Not Available	Not Available	Not Available	Standard	Not Available	Not Available	Not Available			
Leather-trimm	ned upholstery								
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard			
Ivory carbon t	fiber-patterned a	ccent trim on da	ash and doors						
Standard	Standard	Standard	Not Available	Not Available	Not Available	Not Available			
Silver carbon	fiber-patterned	accent trim on d	ash and doors						
Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard			
Ivory leather a	accent trim on d	ash and doors							
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard			
Woodgrain-pa	atterned accent t	rim							
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard			

Instrumentation	on							
Analog instru	ments							
① Analog speedometer, tachometer, coolant temperature, and fuel level gauges; LCD color screen displaying vehicle functions								
Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Amenities								

Convenience Features

Keyless Access with Push-Button Start and PIN-Code Access									
Not Available	Optional	Optional	Standard	Standard	Standard	Standard			
Power rear gate with automatic close, height memory function and vehicle lock button									
Not Available	Optional	Optional	Standard	Standard	Standard	Standard			
Auto-dimming rearview compass mirror with HomeLink®									
Not Available	Optional	Optional	Standard	Standard	Standard	Not Available			
Smart auto-di	Smart auto-dimming rearview compass mirror with HomeLink®								
© Smart auto-dim	ming rearview mirror	including rear-vision o	camera display						
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard			
Auto-up / auto	o-down driver's a	and front passer	nger window wit	h anti-pinch pro	tection				
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
3-spoke steer	ing wheel with in	ntegrated contro	ols						
i 3-spoke steerin	g wheel with audio sy	stem, Bluetooth, and	EyeSight Adptive Cru	uise Control buttons					
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Transmission	paddle shifters								
i Lineartronic CV	T paddle shifters								
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Dual front USB input ports and second-row USB ports									
Standard	Standard	Standard	Standard	Not Available	Not Available	Not Available			

Dual front USB input ports, second- and third-row USB ports									
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard			
120-volt AC p	ower outlet								
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard			
Manually adjustable tilt/telescoping steering column									
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
19 cup and bo	ottle holders								
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Cargo-area ur	nderfloor storage	e tray							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Climate Contr	rol								
Tri-zone clima	ate control								
	atic digital climate cor free air conditioning	ntrol system with contr	rols for temperature, f	an speed, airflow dire	ction, three-zone tem	perature synchronize			
Standard	Not Available	Not Available	Standard	Not Available	Not Available	Not Available			
Second-row of	limate controls								
Not Available	Standard	Standard	Standard	Standard	Standard	Standard			
Air vents for a	all three rows								
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Audio and Co	mmunication								
STARLINK 6.5	5-inch Multimedi	a Plus							
i SUBARU STAF	RLINK 6.5-inch Multim	edia Plus with Apple	CarPlay [®] and Androi	d Auto [™] integration ² ,	STARLINK cloud bas	ed applications,			
	iriusXM [®] Travel Link [®] 3.5mm auxilliary jack	⁶ , AM/FM/CD player,	HD Radio [®] , dual USI	3 input ports, Bluetoo	th [®] audio streaming a	and hands-free phone			
Standard	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available			
STARLINK 8.0)-inch Multimedi	a Plus							
applications, Sirius	RLINK 8.0-inch Multim SXM ^{®5} and SiriusXM [®] Radio [®] , dual USB in	Travel Link ^{®6} , NFC t	technology, high-reso	lution LCD touchscree	en display, voice-activ	vated controls, AM/			

Not Available Standard Standard Standard Standard Standard Not Available STARLINK 8.0-inch Multimedia Navigation ① SUBARU STARLINK 8.0-inch Multimedia Navigation System: voice-activated 8.0-inch multi-touch gesture high-resolution GPS navigation system with Apple CarPlay[®] and Android AutoTM integration², STARLINK cloud-based applications, SiriusXM[®], SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link[®], NFC technology, voice-activated controls, dual USB input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5-mm auxiliary jack Not Available Not Available Optional Optional Optional Standard 6 speakers Standard Standard Standard Standard Standard Standard Not Available Harman Kardon[®] Quantum Surround Sound audio system i Includes 792-watt-equivalent GreenEdge® amplifier and 14 speakers Not Available Not Available Not Available Not Available Optional Optional Standard 4G LTE Wi-Fi capability Standard Standard Standard Not Available Standard Standard Standard Safety **Active Features** Subaru Symmetrical All-Wheel Drive Standard Standard Standard Standard Standard Standard Standard **EyeSight Driver Assist Technology** ① Pre-collision Braking System, Pre-Collisoin Throttle Management, Lane departure and Sway Warning, Advanced Adaptive Cruise Control with Lane Centering Standard Standard Standard Standard Standard Standard Standard Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert Not Available Standard Standard Standard Standard Standard Standard High Beam Assist (HBA)

① Available High Beam Assist works in conjunction with EyeSight to automatically switch the headlights between the high and low settings when

Standard

Standard

Standard

Standard

an oncoming vehicle is detected, enhancing safety for both you and other drivers on the road

Standard

Standard

Standard


1 Reverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically apply the brakes to avoid a collision Not Available Optional Optional Standard Standard Standard Standard Vehicle Dynamics Control (VDC) (VDC) with Traction Control and Trailer Sway Assist Standard Standard Standard Standard Standard Standard Standard 4-wheel Anti-lock Braking System (ABS) (i) 4-wheel ABS with Electronic Brake-force Distribution (EBD) Standard Standard Standard Standard Standard Standard Standard **Brake Assist** Standard Standard Standard Standard Standard Standard Standard **Brake Override System** 1 If both brake and accelerator pedals are pressed simultaneously, the system reduces the operation of the accelerator pedal to help prevent unintentional vehicle acceleration Standard Standard Standard Standard Standard Standard Standard Tire Pressure Monitoring System (TPMS) Standard Standard Standard Standard Standard Standard Standard Daytime Running Lights (DRL) Standard Standard Standard Standard Standard Standard Standard 180-Degree Front-View Monitor Not Available Not Available Not Available Not Available Not Available Not Available Standard **Rear-Vision Camera** Standard Standard Standard Standard Standard Standard Standard **Passive Features STARLINK Safety and Security** ① Automatic Collision Notification, SOS Emergency Assistance, Enhanced Roadside Assistance, Maintenance Notifications, Monthly Vehicle Health Report, Diagnostic Alerts, Remote Engine Start with climate control, Remote Lock/Unlock, Concierge services and more Not Available Standard Standard Standard Standard Standard Standard

Reverse Automatic Braking

Subaru advanced frontal airbag system (SRS)									
① Dual-stage deplo	yment driver and fro	ont passenger front air	bags (SRS)						
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Side curtain ai	rbags (SRS)								
i Side curtain airba	① Side curtain airbags with rollover sensor protecting front and rear outboard occupants (SRS)								
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Seat-mounted	Seat-mounted front side airbags (SRS)								
(i) Seat-mounted from	ont seat side-impact	airbags (SRS)							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Whiplash-prote	Whiplash-protection front seats with height and tilt-adjustable head restraints								
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Height adjusta	ble three-point	front seatbelts							
(i) Height-adjustable	e three-point front se	eatbelts with pretensio	ners and force limite	rs; three-point rear sea	atbelts at all seating p	ositions			
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Rear child-safe	ety locks								
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
LATCH system									
(i) Lower Anchors a	and Tethers for Child	lren							
Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Security									
Keyless entry	Keyless entry system								
i Keyless entry an	d anti-theft security	system with engine im	ımobilizer						
Standard	Standard	Standard	Standard	Standard	Standard	Standard			

Optional

Packages



Helps protect the while driving.	e trunk area from sar	nd, water, stains, dirt	and other messes whil	e providing a surface	that helps reduce th	e shifting of cargo
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Sunshade - 2n	d Row (Right)					
			sunshade. When in us ion with all safety featu			
Optional	Optional	Optional	Optional	Standard	Standard	Standard
Sunshade - 2n	d Row (Left)					
			sunshade. When in us ion with all safety featu			
Optional	Optional	Optional	Optional	Standard	Standard	Standard
Sunshade - 3rd	d Row					
i For maximum su	ın protection, extend	the use of sunshade	s to the 3rd row.			
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Auto-Dimming	Exterior Mirror	with Approach	Light			
your doors with the towards the rear of the Auto-Dimming (keyless entry system the vehicle. During n Interior) Mirror, creat	n, LED lights located lighttime driving, the	ming Exterior Mirrors w behind the Subaru log Exterior Auto-Dimming sperience. Dimming lev Mirror.	o in each exterior mir Mirrors will reduce h	ror will illuminate the eadlight glare by dim	ground next to and ming in unison with
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Rear Seatback	Protector - 2nd	I Row Bench				
		ar seatbacks when lo	owering the seats to traction.	ınsport larger cargo. I	Use in conjunction w	ith the Rear Seatback
Optional	Optional	Optional	Not Available	Optional	Optional	Not Available
Rear Seatback	Protector - 2nd	I Row Captain's	Chairs			
		ar seatbacks when lo	owering the seats to traction.	insport larger cargo. I	Use in conjunction w	ith the Rear Seatback
Not Available	Optional	Optional	Optional	Optional	Optional	Optional
Rear Seatback	Protector - 3rd	Row Bench				
Provides addition for optimal protection.		rear seatbacks when	lowering the seats to t	ransport larger cargo	. Use in conjunction	with the Cargo Tray
Optional	Optional	Optional	Optional	Optional	Optional	Optional

Cargo Tray

			range of essential iten designed to help keep			
		padded, embroidere			and got you on the fot	ad again. The
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Crossbar Set -	Aero					
			ng a crossbar set. The de owner's manual for			
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Collapsible Pet	Kennel - Medi	ım				
making it ideal for tra to-use alternative to cargo area with four	avel and for everyda cumbersome metal included adjustable	y transport. Construction carriers. Designed with straps and carabiner	nnel manufactured by ted of durable, black p ith three large integrat hooks. Includes carry ible Pet Kennel – Med	polyester fabric and a red zippered openings ving handle to easily t	steel tube frame, the for easy pet access	kennel is an easy- and secures in the
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Pet Harness - N	/ledium					
design, combined w that can cause injury and style. Crash-tes also designed for us improved visibility at	ith a padded vest, so y in a car collision. M ted at child safety so se outside of the veh a night. To determine	eat belt grade straps a lanufactured by Sleep eat standards and cer icle as a walking harr	ad trips together, be sand stress tested buck pypod [®] and uniquely of tified by the Center for ness with double "D" risess for your dog, means" - 28".	kles, work together to designed in signature r Pet Safety for dogs ng connection to affix	distribute and reduce Subaru blue, your do from 18 to 90 pounds a leash and reflectiv	damaging forces og will travel in safety The harness is e strips and logo for
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Pet Ramp						
from jumping in and and for those with m ramp design and hig	out. The aluminum a pobility issues. The ra ph-grip ridged surfac	and plastic construction amp rests on the grou	allow him or her easy on Pet Ramp supports und with rubberized fe ng in most weather con en not in use.	s pets up to 220 lbs. a et to provide a firm gr	and is especially suite ip and help avoid shif	d for senior dogs ting. The non-slip
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Pet-friendly Pa	dded Cargo Lin	er				
pet hair, nail scratch 60/40 seats to be up	es, accidents and sp o or down while in us	oills. Design includes se. The liner is easy to	fortable resting area for a foldout bumper proto install with durable, a urely affix to headrests	ector for additional pradjustable latches that	otection and a zipper t attach to the lower of	to allow for the cargo area mounting
increased stability. L	ATCH accessible, n	nachine washable, ar	nd easy to vacuum or	wipe down to keep cle	ean.	
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Seat Cover - 2n	nd Row Bench					
			cover. Machine wash		and latch accessible	this seat cover is

Roadside Emergency Kit

Optional	Optional	Optional	Not Available	Optional	Optional	Not Available
Seat Cover - 2	and Row Captair	ns Chairs				
		custom-fitted rear seat lade with a polyester f			and latch accessible	- this seat cover is
Not Available	Optional	Optional	Optional	Optional	Optional	Optional
Seat Cover - 3	ord Row Bench					
		eats with the custom-fd life on the go. Made				LATCH accessible -
Optional	Optional	Optional	Optional	Optional	Optional	Optional
Warranties						
New Car Limit	ted Warranty					
3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***
Powertrain Lin	mited Warranty					
5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***
Wear Item Lin	nited Warranty					
Repairs to the form	ollowing items will als	o be covered under V	Vear Item Limited Wa	rranty: brake pads, wi	per blade, clutch linin	as and transmitter

① Repairs to the following items will also be covered under Wear Item Limited Warranty: brake pads, wiper blade, clutch linings, and transmitter batteries


3 years or 3 years or

Rust Perforation Limited Warranty

5 years, unlimited mileage unlimited mileage unlimited mileage unlimited mileage unlimited mileage unlimited mileage

¹ The glass information listed represents calculated reference values and may not represent actual values determined by testing.

² Compatible smartphone and application required. The latest app version is required for best performance. Data provided by smartphone is displayed on head unit screen. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Smartphone apps should only be launched when vehicle is safely parked. Your wireless carrier's rates may apply.





iPod and iPad are registered trademarks of Apple Inc.; Brembo is a registered trademark of Freni Brembo S.p.A.; Alcantara is a registered trademark of Alcantara S.p.A
and Alcantara is produced by Toray Group.; Ultrasuede® is a registered trademark of Toray Industries, Inc.; TORSEN LSD® is a registered trademark of JTEKT TORSEN
North America, Inc BBS is a registered trademark of BBS Kraftfahrzeugtechnik AG.; Bluetooth is a registered trademark of Bluetooth SIG, Inc.; HomeLink® and the
HomeLink® house icon are registered trademarks of Gentex Corporation.; Tom Tom is a registered trademark of TomTom International BV; Aha and Harman Kardon are
a registered trademarks of Harman International Industries, Inc.; Android is a trademark of Google Inc.; HD Radio is a registered trademark of iBiquity Digital Corporation.;
SiriusXM and SiriusXM NavTraffic are registered trademarks of SiriusXM Satellite Radio, Inc.; iHeart is a registered trademark of Clear Channel.

PLEASE REVIEW THESE IMPORTANT DISCLOSURES.

Subaru of America, Inc. reserves the right to make changes at any time without notice or obligation to the information contained on this Internet site, prices, incentive programs, specifications, equipment, colors, materials, product illustrations and to change or discontinue models. All prices are based upon Manufacturer's Suggested Retail Prices ('MSRP') in U.S. dollars (unless otherwise indicated) and exclude taxes, title fees, licensing, options and destination charges unless specifically included. Retailers are independent businesses and are free to set their own retail prices. All information contained at this Internet site is intended for the USA market only.

Some vehicles shown with accessory or aftermarket equipment.