

2025 Outback



Highlights

Starting P	Starting Price*										
\$29,010	\$31,310	\$36,220	\$37,970	\$40,460	\$39,475	\$39,960	\$40,310	\$42,910			
Up to MPG** (hwy/city)											
32/26	32/26	32/26	32/26	32/26	29/22	26/21	29/22	29/22			
Engine											
2.5-liter SUBARU BOXER [®] 4-cylinder	2.4-liter turbocharged SUBARU BOXER [®] 4-cylinder	2.4-liter turbocharged SUBARU BOXER [®] 4-cylinder	2.4-liter turbocharged SUBARU BOXER [®] 4-cylinder	2.4-liter turbocharged SUBARU BOXER [®] 4-cylinder							
Symmetric	cal All-Whee	l Drive									
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard			
Leather-tri	immed upho	Istery									
Not Available	Not Available	Not Available	Standard	Standard	Not Available	Not Available	Standard	Standard			
Power tilt/sliding moonroof											

Not Available	Optional	Standard	Standard	Standard	Standard	Optional	Standard	Standard
SUBARU S	TARLINK [®] N	2 Iultimedia						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
EyeSight [®] I	Driver Assis	t Technology	3					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Dual-zone o	climate conti	rol						
i Dual-zone a air conditioning	0	climate control sy	stem with contro	ls for temperatur	e, fan speed, a	irflow direction, du	al-zone lockout,	and CFC-free
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hands-Free	Power Real	Gate						
Not Available	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard
18-inch allo	y wheels							
Not Available	Not Available	Standard	Standard	Standard	Standard	Not Available	Standard	Standard

Engine/Chassis

Engine and Drivetrain

2.5-liter DC	OHC engine							
⁽ⁱ⁾ 2.5-liter DC Control Syster		on aluminum-allo	y 16-valve 4-cyl	inder horizontal	ly opposed SUBA	RU BOXER [®] en	gine with Dual Ac	ctive Valve
Standard	Standard	Standard	Standard	Standard	Not Available	Not Available	Not Available	Not Available
Power: 182 hp @ 5,800 rpm								
Standard	Standard	Standard	Standard	Standard	Not Available	Not Available	Not Available	Not Available
Torque: 17	6 lb-ft @ 4,4	00 rpm						
Standard	Standard	Standard	Standard	Standard	Not Available	Not Available	Not Available	Not Available
2.4-liter turbocharged DOHC engine								
^① 2.4-liter DOHC direct-injection turbocharged, intercooled, aluminum-alloy 16-valve, 4-cylinder horizontally opposed SUBARU BOXER [®] engine with Dual Active Valve Control System (DAVCS)								

Power: 260 hp @ 5,600 rpm

	· · · · · / · · ·							
lot Available	Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard
Torque: 27	77 lb-ft @ 2,0	00 - 4,800 rpi	m					
ot Available	Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard	Standard
Lineartron	nic [®] CVT (Co	ntinuously Va	ariable Trans	smission)				
(i) Lincortroni	o CV/T (Continuo	uchy)(orioble Tree		Adaptiva Control				
Standard	Standard	Standard	Standard	Adaptive Control a	Standard	Standard	Standard	Standard
Maximum	towing capa	4 city						
2,700 lbs.	2,700 lbs.	2,700 lbs.	2,700 lbs.	2,700 lbs.	3,500 lbs.	3,500 lbs.	3,500 lbs.	3,500 lbs
Stability a	nd Traction							
Subaru Sy	mmetrical A	II-Wheel Driv	e					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
X-MODE [®]								
system to red Snow/Dirt and	uce individual wh	neelspin, providing d modes. Wildern	g optimal traction	reases all-wheel c n on low friction su ude advanced dua	urfaces. Onyx E	dition models inc	lude dual-functio	on X-MODE v
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hill Desce	nt Control (H	IDC)						
⁽ⁱ⁾ X-MODE a vehicle contro		Hill Descent Cont	trol (HDC), whicl	n helps to maintai	n a constant vel	nicle speed wher	n traveling downh	nill, enhancing
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Vehicle Dy	/namics Con	trol (VDC)						
rate, and later	ral g-forces. If VE		rence between tl	t constantly monit he driver's intende icle path.				
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Traction C	ontrol Syste	m (TCS)						
		III-wheel, all-spee to maintain vehic		l system that sens	ses a loss of trac	ction and applies	braking force to	the slipping
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standar

Active To	rque Vectorir	ng							
		orks in tandem wit higher cornering			o the inside front	wheel resulting	in better handling	g, sharper turn-	
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
Fuel									
Fuel econ	omy**, 2.5-lit	er models (h	wy/city): 32/	26 MPG					
Standard	Standard	Standard	Standard	Standard	Not Available	Not Available	Not Available	Not Available	
Fuel econ	omy**, XT me	odels (hwy/ci	ity): 29/22 M	PG					
Not Available	Not Available	Not Available	Not Available	Not Available	Standard	Not Available	Standard	Standard	
Fuel econ	omy**, Wilde	rness (hwy/c	ity): 26/21 M	IPG					
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Standard	Not Available	Not Available	
Fuel requirement: Unleaded gasoline (87 octane)									
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
Fuel tank	capacity: 18.	5 gallons							
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
Chassis									
Electric P	ower-Assiste	ed Steering (E	EPAS)						
⁽ⁱ⁾ Electric po	ower-assisted rac	k-and-pinion stee	ring (EPAS), tur	ning circle: 36.1 f	eet.				
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
4-wheel in	dependent r	aised suspen	ision						
i Front: Stru	it-type with lower	L-arm, stabilizer	bar. Rear: Doub	le-wishbone, stal	oilizer bar.				
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
4-wheel d	isc ventilated	d front and re	ar brakes						
⁽ⁱ⁾ 4-wheel di front/rear	sc brakes, ventila	ated front and rea	r. 4-channel, 4-s	sensor ABS with	Electronic Brake-	force Distribution	n (EBD), 12.4 inc	hes/11.8 inches	
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
Brake Assist									
(i) When eme	ergency braking is	s detected by hov	v quickly the bra	ke pedal is press	ed, maximum br	ake pressure is i	mmediately appli	ed.	
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	

Brake Over	ride System							
	and accelerator		sed simultaneou	sly, the system re	educes the opera	ation of the accel	erator pedal to h	elp prevent
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Auto Vehicl	e Hold (AVH)						
	(/ /	•	0 ,	ding the vehicle i AVH can hold the				
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Otaridard	Otandala	otandara	otandara	otandara	otandara	otandara	otandara	Otandard

Exterior

Dimensions

Length/Width/Height

191.9	191.9	191.9	191.9	191.9	191.9	191.3	191.9	191.9
inches/74.2	inches/74.2	inches/74.2	inches/74.2	inches/74.2	inches/74.2	inches/74.6	inches/74.2	inches/74.2
inches/66.1	inches/66.1	inches/66.1	inches/66.1	inches/66.1	inches/66.1	inches/66.9	inches/66.1	inches/66.1
inches (with								
roof rails)								

Wheelbase

108.1 inches 108.1 inches

Track (fro	nt/rear)									
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)										
61.8 inches/62.8 inches	61.8 inches/62.8 inches	61.8 inches/62.8 inches	61.8 inches/62.8 inches	61.8 inches/62.8 inches	61.8 inches/62.8 inches	62.0 inches/63.0 inches	61.8 inches/62.8 inches	61.8 inches/62.8 inches		
Base curb weight										
3,641 lbs.	3,661 lbs.	3,723 lbs.	3,766 lbs.	3,781 lbs.	3,921 lbs.	3,902 lbs.	3,931 lbs.	3,946 lbs.		
Ground cl	earance (at b	ase curb we	ight)							
8.7 inches	8.7 inches	8.7 inches	8.7 inches	8.7 inches	8.7 inches	9.5 inches	8.7 inches	8.7 inches		
Wheels and Tires										

17 x 7.0-inch aluminum-alloy wheels, black with machine finish

Standard Standard Not Available Not Available Not Available Not Available Not Available Not Available Not Available

17 x 7.0-inch aluminum-alloy wheels, matte black finish

Not Available Not Available Not Available Not Available Not Available Not Available Standard Not Available Not Available

18 x 7.0-inch aluminum-alloy wheels, black finish

Not Available Not Available Standard Not Available Not Available Standard Not Available Not Available Not Available

18 x 7.0-inch aluminum-alloy wheels, black with machine finish

Not Available Not Available Not Available Standard Standard Not Available Not Available Standard Standard

225/65 R17 102H all-season tires

Standard Standard Not Available Not Available Not Available Not Available Not Available Not Available Not Available

225/65 R17 102T all-terrain tires

Not Available Not Available Not Available Not Available Not Available Not Available Standard Not Available Not Available

225/60 R18 100H all-season tires

Not Available Not Available Standard Standard Standard Not Available

Temporary use T155/80 D17 spare tire

Standard Standard Standard Standard Standard Not Available Not Available Standard Standard

Standard

Standard

Full-size spare tire

Not Available Not Available Not Available Not Available Not Available Standard Not Available Not Available


Features

LED Steering Responsive Headlights (SRH)										
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
LED fog lights										
Standard	Standard	Standard	Standard	Standard	Standard	Not Available	Standard	Standard		
LED fog lights (hexagonal style)										

Not Available Not Available Not Available Not Available Not Available Not Available Standard Not Available Not Available

Black folding side mirrors

Standard Not Available Not Available



Not Available Not Available Not Available Not Available Not Available Not Available Standard Not Available Not Available

Interior

Dimensions

Headroom (front/rear)										
40.1 inches/39.1 inches	40.1 inches/39.1 inches (39.1 inches/39.1 inches with moonroof)	39.1 inches/39.1 inches	39.1 inches/39.1 inches	39.1 inches/39.1 inches	39.1 inches/39.1 inches	40.1 inches/39.1 inches (39.1 inches/39.1 inches with moonroof)	39.1 inches/39.1 inches	39.1 inches/39.1 inches		
Legroom (front/rear)										
42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches	42.8 inches/39.5 inches		
Shoulder	room (front/r	ear)								
58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches	58.1 inches/57.4 inches		
Passenge	r volume									
109 cubic feet	109 cubic feet (107.5 cubic feet with moonroof)	107.5 cubic feet	107.5 cubic feet	107.5 cubic feet	107.5 cubic feet	109 cubic feet (107.5 cubic feet with moonroof)	107.5 cubic feet	107.5 cubic feet		
Cargo vol	ume									
32.6 cubic feet	32.6 cubic feet	32.6 cubic feet	32.6 cubic feet	32.6 cubic feet	32.6 cubic feet	32.6 cubic feet	32.6 cubic feet	32.6 cubic feet		
Maximum	cargo volum	е								
75.6 cubic	75.6 cubic	75.6 cubic	75.6 cubic	75.6 cubic	75.6 cubic	75.6 cubic	75.6 cubic	75.6 cubic		

Seating and Trim

Manually adjustable front seats

(1) 6-way manually adjustable driver's seat; 4-way manually adjustable front-passenger's seat

Standard Not Available Not Available

feet with rear feet w

Power adjustable driver's seat, manually adjustable front passenger seat

🛈 10-way power adjustable driver's seat with power adjustable lumbar support; 4-way manually adjustable front-passenger's seat



Nappa-leather-trimmed upholstery

Not Available Not Available Not Available Not Available Standard Not Available Not Available Not Available Standard

Instrumentation

Analog ins	struments							
(i) Analog spe	edometer, tacho	meter, coolant te	mperature, and	fuel level gauges	; LCD color scre	en displaying vel	nicle functions	
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard

Amenities

Convenience Features

Keyless A	ccess with P	Push-Button S	Start							
Not Available	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Hands-Free Power Rear Gate with automatic close, height memory function, and vehicle lock button										
Not Available	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
2-position	driver's sea	t and power i	mirror memo	ory						
Not Available	Not Available	Not Available	Standard	Standard	Not Available	Not Available	Standard	Standard		
Electronic parking brake										
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Auto-on/o	ff wiper-linke	ed headlights	i							
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Auto-dimn	ning rearviev	v compass m	hirror with H	omeLink [®]						
	Not Available		Standard	Not Available	Standard	Standard	Standard	Not Available		
Smart auto-dimming rearview compass mirror with HomeLink [®]										
		Not Available		Standard		Not Available	Not Available	Standard		

Auto-up/auto-down driver's and front passenger window with anti-pinch protection

Standard Standard Not Available Not Available Not Available Not Available Not Available Not Available Not Available

Auto-up/auto-down windows in all positions with anti-pinch protection										
Not Available	Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Advanced	Adaptive Cru	5 ise Control								
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
3-spoke ste	eering wheel	with integra	ted controls							
⁽ⁱ⁾ 3-spoke ste	ering wheel with	audio system, B	uetooth, and Ada	aptive Cruise Co	ntrol buttons					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Manually a	djustable tilt	/telescoping	steering col	umn						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Transmissi	ion paddle sl	hifters								
(i) Lineartronic	[®] CVT paddle sh	nifters								
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Illuminated	l front USB-A	input port								
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Illuminated	l front USB-C	input port								
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Illuminated	l rear USB-A	and USB-C o	charging por	ts						
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Eight cup a	and bottle ho	Iders								
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Overhead o	console									
⁽ⁱ⁾ Overhead c	onsole with dual	maplights and su	unglasses storag	e						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Sun visors with illuminated vanity mirrors										
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Center con	sole									

⁽ⁱ⁾ Center console with enclosed storage box with lid and storage tray

Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Retractabl	e/removable	cargo-area	cover					
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Cargo-area	a grocery ba	g hooks and	cargo tie-do	own hooks				
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Cargo-area	a underfloor	storage						
Standard	Standard	Standard	Standard	Standard	Not Available	Not Available	Standard	Standard
Removable	e cargo-area	tray						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Cargo-area	a rear seatba	ick release le	evers					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Rear gate	LED light							
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Climate Co	ontrol							
Automatic	climate con	trol						
(i) Automatic	digital climate co	ntrol system with	voice-activated	controls				
	-							
Standard			NOT AVAIIADIE	NOT AVAIIADIE	Not Available	INOT AVAIIADIE	NOT AVAIIADIE	NOT AVAIIADIE
Dual-zone	climate con	trol						
(i) Dual-zone	automatic digital	climate control s	system with voice	e-activated contro	bls			
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard

Audio and Communication

SUBARU STARLINK[®] Dual 7.0-inch Multimedia

^① SUBARU STARLINK Dual 7.0-inch Multimedia system with high-resolution LCD touch-screen multi-touch gesture displays, Apple CarPlay[®] and Android Auto[™] integration², SiriusXM^{®6} and SiriusXM[®] Travel Link^{®7}, AM/FM stereo, HD Radio[®], USB-A input port, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack

Standard Not Available Not Available

SUBARU STARLINK[®] 11.6-inch Multimedia Plus

⁽¹⁾ SUBARU STARLINK 11.6-inch Multimedia Plus system with high-resolution LCD multi-touch-gesture display, wireless Apple CarPlay[®] and Android AutoTM integration², SiriusXM^{®6} and SiriusXM[®] Travel Link^{®7}, NFC technology, AM/FM stereo, HD Radio[®], USB-A and USB-C input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack

Not Available Standard Standard Not Available Not Available Standard Standard Not Available Not Available

SUBARU STARLINK[®] 11.6-inch Multimedia Navigation

⁽¹⁾ SUBARU STARLINK 11.6-inch Multimedia Navigation System: voice-activated 11.6-inch multi-touch gesture high-resolution GPS navigation system with wireless Apple CarPlay[®] and Android AutoTM integration², SiriusXM^{®6}, SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link^{®7}, NFC technology, AM/FM stereo, HD Radio[®], USB-A and USB-C input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack

Not Available Optional Not Available Standard Standard Not Available Optional Standard Standard

CD player

Not Available Not Available Not Available Not Available Standard Not Available Not Available Standard

4 speakers

Standard Not Available Not Available

6 speakers

Not Available Standard Not Available Not Available Not Available Not Available Not Available Not Available Not Available

Harman Ka	rdon [®] premi	um audio sy	vstem					
(i) Includes 57	6-watt-equivalen	t GreenEdge [®] a	mplifier and 12 s	peakers				
Not Available	Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard
4G LTE Wi-	Fi capability	8						
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard

Safety

Active Features

Subaru Sy	mmetrical A	II-Wheel Driv	e					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
EyeSight [®]	Driver Assis	st Technolog	з У					

⁽¹⁾ Advanced Adaptive Cruise Control with Lane Centering, Pre-collision Braking, Lane Departure and Sway Warning, Lane Keep Assist, and Automatic Emergency Steering⁹

Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
High Beam	n Assist (HB	A)						
		t works in conjunct ed, enhancing safe				adlights between t	he high and low	settings when
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
DriverFocu	us [®] Distracti	on Mitigation	10 System					
Not Available	Not Available	Not Available	Standard	Standard	Not Available	Not Available	Standard	Standard
Blind-Spot	t Detection w	vith Lane Cha	nge Assist a	nd Rear Cr	oss-Traffic Al	ert		
Not Available	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Reverse A	utomatic Bra	aking						
	utomatic Braking avoid a collision.	monitors the area	behind the vehi	icle while revers	sing. If an obstacle	e is detected, the	system can auto	omatically apply
Not Available	Not Available	Standard	Standard	Standard	Standard	Optional	Standard	Standard
Vehicle Dy	namics Con	trol (VDC)						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
4-wheel Ar	nti-lock Brak	ing System (A	ABS)					
i 4-wheel AE	3S with Electroni	c Brake-force Dist	ribution (EBD)					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brake Ass	ist							
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brake Ove	rride System	ı						
	e and accelerate vehicle accelerat	or pedals are press ion.	sed simultaneou	sly, the system	reduces the oper	ation of the accel	erator pedal to h	elp prevent
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Traction C	ontrol Syste	m (TCS)						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Tire Press	ure Monitori	ng System (Tl	PMS)					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard

LED Daytir	ne Running	Lights (DRL)						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
180-Degree	e Front-View	Monitor						
Not Available	Not Available	Not Available	Not Available	Standard	Standard	Standard	Not Available	Standard
Rear-Visio	n Camera							
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Passive Fe	atures							
SUBARU S	STARLINK [®] (Safety and Se	13 ecurity					
		tion, SOS Emerge ts, Remote Engin					Notifications, Month vices and more	nly Vehicle
Not Available	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Subaru adv	vanced front	al airbag sys	tem (SRS) ¹⁴					
(i) Dual-stage	deployment driv	er and front pass	enger front airba	gs (SRS)				
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Side curtai	in airbags (S	RS) ¹⁴						
⁽ⁱ⁾ Side curtair	n airbags with rol	lover sensor prot	ecting front and I	rear outboard oc	cupants (SRS)			
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Seat-moun	ted front sid	le impact (SR	(S) ¹⁴					
⁽ⁱ⁾ Seat-mount	ted front seat sid	e pelvis/torso airb	bags (SRS)					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front pass	enger seat o	ushion airba	g (SRS) ¹⁴					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Driver's kn	ee airbag (S	RS) ¹⁴						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Whiplash-r	educing from	nt seats with	height and t	ilt-adjustable	e head restra	aints		
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard

Rear height adjustable head restraints										
(i) Three indiv	vidual rear height	-adjustable head	restraints							
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Height adj	ustable 3-po	int front seat	tbelts							
i Height-adju	ustable 3-point fro	ont seatbelts with	n pretensioners a	nd force limiters	; 3-point rear sea	tbelts at all seati	ng positions			
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Rear child	-safety locks	;								
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
LATCH sy	stem									
i Lower And	hors and Tethers	for Children								
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Security										
Keyless er	ntry system									
(i) Keyless en	ntry system with t	runk release and	answer-back ele	ectronic chirp						
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		
Anti-theft	security syst	em								
① Anti-theft security system with engine immobilizer										
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard		

Optional

Packages

Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert • Keyless Access with Push-Button Start • Hands-Free Power Rear Gate

¹¹ Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert¹¹; • Keyless Access with Push-Button Start; Hands-Free Power Rear Gate with height memory function and lock switch

Not Available Optional Not Available Not Available Not Available Not Available Not Available Not Available Not Available

Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert¹¹ • Keyless Access with Push-Button Start • Hands-Free Power Rear Gate • Power Moonroof • SUBARU STARLINK[®] 11.6-inch Multimedia Navigation

^① Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert ; Keyless Access with Push-Button Start; Hands-Free Power Rear Gate with height memory function and lock switch; Power tilt/sliding-glass moonroof; SUBARU STARLINK 11.6-inch Multimedia Navigation

System: voice-activated 11.6-inch multi-touch gesture high-resolution GPS navigation system with wireless Apple CarPlay[®] and Android AutoTM integration², SiriusXM^{®6}, SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link^{®7}, NFC technology, AM/FM stereo, HD Radio[®], USB-A and USB-C input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack

Not Available Optional Not Available Not Available Not Available Not Available Not Available Not Available Not Available

Power Moonroof • SUBARU STARLINK[®] 11.6-inch Multimedia Navigation • Reverse Automatic Braking

^① Power tilt/sliding-glass moonroof; SUBARU STARLINK 11.6-inch Multimedia Navigation System: voice-activated 11.6-inch multi-touch gesture high-resolution GPS navigation system with wireless Apple CarPlay[®] and Android Auto[™] integration², SiriusXM^{®⁶}, SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link^{®⁷}, NFC technology, AM/FM stereo, HD Radio[®], USB-A and USB-C input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack; Reverse Automatic Braking¹²

Not Available Not Available Not Available Not Available Not Available Not Available Optional Not Available Not Available

Accessories

properly, and includes a handy storage bag.

Wireless C	harger							
					eless Charger is circuit safeguard			
ot Available	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Auto-Dimn	ning Mirror v	vith Compas	s and Homel	_ink [®]				
Three backlit I	HomeLink® butte	ons can be progra	ammed to opera	te most garage c	to protect your vis doors, security ga compatible oper	ites, home lightin	g and more. Car	also provide
Optional	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Cargo Net								
					The Cargo Net c help keep things			the sides of the
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Phone Hol	der - Cup Ho	older Mounte	d					
					osition, and can ing into the cente			e phone holde
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Sunshade	- 2nd Row							
					use, these sunsleatures and winde		are and reduce t	emperatures, a
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Sunshade	- Windshield	ł						
⁽ⁱ⁾ The foldabl	e Sunshade offe	ers a triple layer o	f protection to he	elp reduce vehicl	e temperature up	to 40 degrees.	The Sunshade is	custom-cut to

Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
All-Weathe	r Floor Liner	S						
Weather Floor		ion-engineered t	o ensure a precis	se fit and withsta	nd a series of f	s, snow, sand, mu unctional and dura		
Optional	Optional	Optional	Optional	Optional	Optional	Not Available	Optional	Optional
Auto-Dimm	ning Exterior	Mirror with A	Approach Lig	ght				
your doors with towards the re the Auto-Dimm	n the keyless entr ar of the vehicle.	y system, LED li During nighttime or, creating a sa	ghts located beh driving, the Exte fer driving experi	ind the Subaru lo prior Auto-Dimmir ience. Dimming lo	ogo in each extended in each extended in each extended in the second extended e	Light.* Upon appro erior mirror will illur educe headlight gl d by the level of lig	minate the groun are by dimming i	d next to and n unison with
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Battery Ch	arger and Ma	intainer						
life. Comes with is ready for you indicates where	h alligator clamps ur next adventure	s for quick conne e. Fully automatic to start your veh	ctions and ring-t charging with Ll icle. 'Reconditio	erminals for more ED lights and cou ning' mode resto	e permanent co untdown timer t res deeply disc	es 12-volt lead acio nnections, to help o indicate remainir harged batteries. [ensure you vehing charge time.	cle's battery Try' LED light
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cargo Side	wall Protecto	or						
precise fit and Protectors can	texture-matched	to complement fued, rinsed clean a	unctionality and a and easily reinsta	appearance of th alled. Provides or	e Rear Seatbad	rotectors. Durable ck Protector and C n in the rear cargo	argo Tray. The C	Cargo Sidewall
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Carpeted F	loor Mats							
from damage. engineered us	The anti-skid bac ing original Comp	k holds the mat f outed-Aided Desi	irmly in place wi gn (CAD) data fo	thout damage to or a precise fit co	the vehicle's ca mpared to after	ea while helping to arpet. The Genuine market carpeted fl with the ebroidered	e Subaru Carpete oor mats. Drivers	ed Floor Mat is side mat is
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Optional	Not Available	Not Available
Door Scuff	Protector							
	easy to clean plas nique texture com					other scrapes when	n entering and ex	kiting your
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mud Flaps								
to serve as a p from kicking up	rotective barrier l	between the tires iicle. Mud Flaps o	and wheel well offer maximum p	to minimize wate rotection with tou	r, dirt and mud Igh, durable co	on. Genuine Subar spray and to help nstruction and und edition designed f	prevent minor ro lergo a series of	ad debris durability

Optional	Optional	Optional	Optional	Optional	Optional	Not Available	Optional	Optional
Mud Flaps	- Wilderness	6						
to serve as a from kicking u	protective barrier p behind your ve	between the tires hicle. Mud Flaps	and wheel well offer maximum p	to minimize wate protection with tou	er, dirt and mud ugh, durable cor	spray and to help nstruction and un	aru Mud Flaps are o prevent minor ro idergo a series of I for Outback Wild	ad debris durability
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Optional	Not Available	Not Available
Rear Bum	per Cover							
⁽ⁱ⁾ Helps prote	ect the upper surf	ace of the painted	d bumper from s	cratches and scu	ffs.			
Optional	Optional	Optional	Optional	Optional	Optional	Not Available	Optional	Optional
Rear Door	Sill Step Gu	ard						
⁽ⁱ⁾ Protect you	ur door sill with th	e step guard to co	onfidently reach	your rooftop gea	when extra he	ight is needed.		
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Rear Seat	back Protecto	or						
 Provides a for optimal pro 		on to the rear seat	backs when low	vering the seats to	o transport large	er cargo. Use in c	conjunction with th	e Cargo Tray
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Splash Gu	ards							
		inish from stones ests to help withst				noise and aeroc	dynamic drag. Spla	ash Guards
Optional	Optional	Optional	Optional	Optional	Optional	Not Available	Optional	Optional
Splash Gu	ards - Wilder	ness						
		inish from stones ests to help withst				noise and aeroo	lynamic drag. Spla	ash Guards
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Optional	Not Available	Not Available
Door Clad	ding - Anodiz	zed Copper A	ccent					
lower door trir							is an upward exte to help ensure ae	
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Optional	Not Available	Not Available

Door Cladding - Sport Orange Accent

^① Designed to enhance the rugged exterior appearance of the Outback and Outback Wilderness, Door Cladding is an upward extension of the lower door trim. This accessory withstands a series of tests for fade, scratch and crack resistance, and evaluated to help ensure aerodynamic performance is not impacted.

Optional					onto the ground			
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Footwell I	Ilumination K	(it						
Illumination K	the dark corners (it is integrated wi securely into desig	th the vehicle's I	ight managemen					
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
LED Upgra	ade							
standards for	he illumination of seamless operat d carefully color-t	ion and uninterro	upted functionalit					
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Thule [®] 2-I	nch Hitch Ad	lapter						
Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
person setup.	. Includes lightwe					i and projects o i	L. WIIGHTUNY CALC	
for use on vel				-			ecure the legs to	th
for use on vel When used o	n a hard surface, Genuine Subaru	weights are rec	ommended to an	chor and stabilize	e the legs. Can b	e used in conjun	ction with the Th	th ule
for use on vel When used o	n a hard surface,	weights are rec	ommended to an	chor and stabilize	e the legs. Can b	e used in conjun	ction with the Th	the ule
for use on vel When used o Tent or other Optional	n a hard surface, Genuine Subaru	weights are rec Lifestyle rooftop Optional	ommended to an accessories. (Re Optional	chor and stabilize	e the legs. Can b age only. Access	e used in conjun ory shown on a F	ction with the Th Forester Wilderne	th ule
for use on vel When used o Tent or other Optional Thule[®] Bil ^① Manufactu bike-to-vehicl inch Subaru O Integrated loc Requires Trai	n a hard surface, Genuine Subaru Optional	weights are rec Lifestyle rooftop Optional Iitch Mounte his steel rack is d pabsorb road s litch only. Arms f ocking hitch pin lo d blocking taillig	ommended to an accessories. (Re Optional d - 4 bikes lesigned for easy hock for frame pr fold down when n bock the bikes to th hts, use only root	handling, installa otection. The car ot in use for easy mounted bike ca	e the legs. Can b age only. Access Optional ation and remova rier is unique to s y storage. Rack p rrier to the vehicl	e used in conjun ory shown on a F Optional I. The anti-sway Subaru and desig bivots backwards e. Four bike, 150	ction with the Th Forester Wilderne Optional cages prevent b gned to properly for access to rea blbs. total weight	the ess ike att ar t ca
for use on vel When used o Tent or other Optional Thule[®] Bil ^① Manufactu bike-to-vehicl inch Subaru O Integrated loc Requires Trai	n a hard surface, Genuine Subaru Optional ke Carrier - H red by Thule [®] , th e contact and hel Genuine Trailer H cking cable and Ic iler Hitch. To avoi	weights are rec Lifestyle rooftop Optional Iitch Mounte his steel rack is d pabsorb road s litch only. Arms f ocking hitch pin lo d blocking taillig	ommended to an accessories. (Re Optional d - 4 bikes lesigned for easy hock for frame pr fold down when n bock the bikes to th hts, use only root	handling, installa otection. The car ot in use for easy mounted bike ca	e the legs. Can b age only. Access Optional ation and remova rier is unique to s y storage. Rack p rrier to the vehicl	e used in conjun ory shown on a F Optional I. The anti-sway Subaru and desig bivots backwards e. Four bike, 150	ction with the Th Forester Wilderne Optional cages prevent b gned to properly for access to rea blbs. total weight	th ule ess ike att ar t c
for use on vel When used o Tent or other Optional Thule [®] Bil ⁽¹⁾ Manufactu bike-to-vehicl inch Subaru O Integrated loc Requires Trai this carrier, pl Optional	n a hard surface, Genuine Subaru Optional ke Carrier - H red by Thule [®] , th e contact and hel Genuine Trailer H cking cable and Ic iler Hitch. To avoi lease check the la	weights are rec Lifestyle rooftop Optional litch Mounte is steel rack is d p absorb road s litch only. Arms f icking hitch pin le id blocking taillig aws of your state Optional	ommended to an accessories. (Re Optional d - 4 bikes lesigned for easy hock for frame pr old down when n ock the bikes to th hts, use only rooi e regarding licens Optional	chor and stabilize apresentative ima Optional handling, installa otection. The car ot in use for eas ne carrier and ca i mounted bike ca e plate visibility.	e the legs. Can b age only. Access Optional ation and remova rier is unique to s y storage. Rack p rrier to the vehicl arriers to transpo	e used in conjun ory shown on a F Optional I. The anti-sway Subaru and desig pivots backwards e. Four bike, 150 rt bikes with solid	ction with the Th Forester Wilderne Optional cages prevent b gned to properly of or access to rea blbs. total weight d disc wheels. Be	th ule ess ike att ar t c

Thule[®] Cargo Carrier - Extended

⁽¹⁾ Manufactured by Thule^(B), the extended carrier provides 17 cubic feet of lockable storage capacity and features dual-side opening for easier loading and unloading from either side of the vehicle. The low-profile, aerodynamic design provides increased garage access without sacrificing box capacity and the Quick-GripTM mounting system allows for an easy, tool-free installation and removal. Measures 84" L x 34.5" W x 17" H. Consult vehicle owner's manual for total roof load limit. Cannot be used in conjunction with the Moonroof Air Deflector.

Optional Optional Optional Optional Optional Optional Optional Optional	Optional								
-------------------------------------------------------------------------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Thule[®] Roof Top Tent

^① A modern shape and spacious interior transform your vehicle into a home away from home, providing more living space for you and for your gear. Features panoramic skylights and windows to help keep you cool and the tent well ventilated, and a dual-layer foam mattress for increased

comfort. Lockable mounting brackets secure the tent to the Thule[®] Crossbar Set – Aero Extended. Removable rain cover with 3 modes of protection – heavy rain, rain protection with visibility through windows and skylights, and ready-to-deploy mode. Six dual-zippered panels for the door, window, and four skylights feature a bug screen and water-resistant polyester panel for privacy. Zippered travel cover protects the tent from the elements when the tent is stowed on top of the vehicle. Telescoping aluminum ladder allows easy access to the rooftop tent and functions as a critical support to stabilize the weight of the tent and its occupants. 2-3 person capacity: sleeps 2 adults and 1 child, or 2 adults comfortably. Suitable for use on Subaru vehicles equipped with factory raised roof rails and adequate roof capacity. Consult vehicle owner's manual for total roof load limit. Quick and easy deployment in 3 minutes or less: unzip the travel cover, unfold the base, and secure the ladder to begin your camping adventure! Open dimensions: 95" x 56" x 44". Closed dimensions: 49" x 56" x 11". Sleeping footprint: 95" x 51". Peak internal height: 40.2". Weight of tent: 128 lbs. (Representative image only. Accessory shown on a Crosstrek.)

Not Available Not Available Not Available Not Available Not Available Not Available Optional Not Available Not Available

Pet Rear Door Protector

^① For your furry companion that loves to gaze out the window, the lightweight and durable Pet Rear Door Protector helps protect your door panel from scratches, nail punctures, scuffs, dirt and infamous dog drool. Manufactured with a premium, durable design to seamlessly fit the contours of your door, and heavy-duty polyester to extend protection to the entire door panel. The protector is easy to install and remove with three clips that insert between the window and door panel, and folds in half to stow when not in use. Comes in a set of two. Not intended for use with human passengers in the back seat. Not recommended for use with aftermarket rear window tint.

Optional Optional Optional Optional Optional Optional Optional Optional	Optiona								
-------------------------------------------------------------------------	----------	----------	----------	----------	----------	----------	----------	----------	---------

Pet-friendly Padded Cargo Liner

^① Thick padding and durable polyester shell provides a comfortable resting area for your pet while protecting the cargo and seatback areas from pet hair, nail scratches, accidents and spills. Design includes a foldout bumper protector for additional protection and a zipper to allow for the 60/40 seats to be up or down while in use. The liner is easy to install with durable, adjustable latches that attach to the lower cargo area mounting loops and rear child seat tether points. Adjustable straps securely affix to headrests and Velcro® mounting straps attach at various locations for increased stability. LATCH-accessible, machine-washable, and easy to vacuum or wipe down to keep clean.

| Optional |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| optional |

Pet-friendly Padded Seat Protector

^① Protect your back seat from muddy paws and pet hair while your pet travels with you in padded comfort. This heavy-duty seat protector features a smooth, tailored seat back and quilted seat pad to protect your Subaru. Designed without buckles or straps, installation and removal is quick and easy with removal and reinstallation of the headrests and repositioning of the seatbelt through a Velcro® opening in the protector. Water-resistant and LATCH-accessible, the Pet-friendly Padded Seat Protector offers maximum coverage without excess fabric for a tidy appearance, and folds down for easy storage when not in use. The protector is suitable for use in conjunction with child car seats and with rear seat passengers. 60/40 seat functionality compromised when in use.

Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Seat Cover - Rear									

^① Keep your second row tidy with the custom-fitted rear seat covers. Machine-washable, water-resistant and LATCH-accessible – this seat cover is great for pets, kids and life on the go. Made with a polyester front and polyurethane coated back.

| Optional |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Optional |

Warranties

New Car Limited Warranty									
3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	
or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	
miles***	miles***	miles***	miles***	miles***	miles***	miles***	miles***	miles***	
Powertrain Limited Warranty									
5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	
or 60,000	or 60,000	or 60,000	or 60,000	or 60,000	or 60,000	or 60,000	or 60,000	or 60,000	
miles***	miles***	miles***	miles***	miles***	miles***	miles***	miles***	miles***	
Wear Item Limited Warranty									
3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	
or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	or 36,000	
miles***	miles***	miles***	miles***	miles***	miles***	miles***	miles***	miles***	
Rust Perforation Limited Warranty									
5 years,	5 years,	5 years,	5 years,	5 years,	5 years,	5 years,	5 years,	5 years	
unlimited	unlimited	unlimited	unlimited	unlimited	unlimited	unlimited	unlimited	or 60,000	
mileage	mileage	mileage	mileage	mileage	mileage	mileage	mileage	miles***	

1 The glass information listed represents calculated reference values and may not represent actual values determined by testing.

2 Compatible smartphone and application required. The latest app version is required for best performance. Data provided by smartphone is displayed on head unit screen. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Smartphone apps should only be launched when vehicle is safely parked. Your wireless carrier's rates may apply.

3 EyeSight is a driver-assist system that may not operate optimally under all driving conditions. The driver is always responsible for safe and attentive driving. System effectiveness depends on many factors, such as vehicle maintenance, weather, and road conditions. See Owner's Manual for complete details on system operation and limitations.

4 Certain limitations apply. See Owner's Manual for details.

5 EyeSight is a driver assist system which may not operate optimally under all driving conditions. Advanced Adaptive Cruise Control and Brake Light Recognition are designed to assist the driver and are not substitutes for safe and attentive driving. Lane Keep Assist operates only when the lane markings are visible. The driver is always responsible for safe and attentive driving. System effectiveness depends on many factors, such as vehicle maintenance, weather, and road conditions. Lane centering function operates only when used in conjunction with Advanced Adaptive Cruise Control. See Owner's Manual for complete details on system operations and limitations.

6 All SiriusXM services require a subscription, sold separately by SiriusXM after the trial period. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service, the subscription plan chosen will automatically renew and be charged according to your chosen payment method at the then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement & Privacy Policy at www.siriusxm.com for full terms and how to cancel, which includes online methods or calling 1-866-635-2349. Available in the 48 contiguous United States, D.C., and Puerto Rico (with coverage limits and capable receiver). Visit http://www.siriusxm.com/FAQS for most current service area information. Availability of some services and features is subject to device capabilities and location

restrictions. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries.

7 Activation and required subscription sold separately. Includes trial subscription. See your retailer for details.

8 Internet access is purchased separately through AT&T with monthly, per gigabyte, and unlimited data options available. Existing AT&T customers have the option to add an additional line to their AT&T Mobile Share plan.

9 Automatic Emergency Steering is a system designed to assist the driver. It is not a substitute for safe and attentive driving. Automatic Emergency Steering works in conjunction with and after Pre-Collision Braking has been activated by providing steering support at speeds lower than 50 mph to try and help avoid a collision. See Owner's Manual for complete details, including important system limitations. Availability varies by trim level.

10 DriverFocus is a driver recognition technology designed to alert the driver if their attention to the road wavers or if the driver's face appears to turn away. The driver is always responsible for safe and attentive driving. System effectiveness may be affected by articles of clothing worn on the head or face. See Owner's Manual for complete details on system operations and limitations.

11 Blind-Spot Detection, Lane Change Assist and Rear Cross-Traffic Alert are systems designed to assist the driver by monitoring the rear and side areas of the vehicle during a lane change or reversing and are not a substitute for safe and attentive driving.

12 Reverse Automatic Braking is a system designed to assist the driver by detecting objects to help avoid a possible collision when the vehicle is moving in a reverse direction. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors such as vehicle maintenance, weather and road conditions. Always exercise caution and use vehicle mirrors and Rear-Vision Camera when backing up. See Owner's Manual for complete details on system operation and limitations.

13 Activation with subscription required. Includes a three-year trial subscription to Safety Plus services and a six-month trial subscription to Safety and Security Plus services. The Concierge plan can be purchased annually or monthly. A credit card on file will be required for specific packages and for renewal purposes. Features and availability vary by vehicle and trim level. May not be available in all states. See Retailer for details.

14 The Supplemental Restraint System (SRS) (airbags) affords the driver and the front passenger additional protection in moderate to severe frontal and side-impact collisions, and outboard 2nd-row passengers additional protection in moderate to severe side-impact collisions. This system provides supplemental protection only, and seat belts must be worn in order to avoid injuries to out-of-position occupants upon bag deployment and to provide the best combined protection in a serious accident. Children should always be properly restrained in the rear seat.

Legal Disclaimers | * MSRP does not include destination and delivery charges, tax, title, and registration fees. Destination and delivery includes handling and inland freight fees and may vary in some states. Prices, specifications, options, features, and models subject to change without notice. Select colors may be subject to an additional charge. See your retailer for more information.

** EPA fuel economy estimates. Actual mileage will vary with driving conditions and your vehicle's condition.

*** Limited warranties are contingent on age and mileage. Whatever comes first concludes the warranty.

† Connected Services depend on factors outside Toyota's control, including an operative telematics device, a cellular connection, GPS signal and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Service may vary by vehicle and region. Apps and services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data usage and charges may apply. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit toyota.com/privacyuts

Safety Connect: Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances.

Remote Connect: Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote start/stop not available on manual transmission-equipped vehicles.

Drive Connect: Services not available in every city or roadway.

Service Connect: Information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Wi-Fi Connect: Eligible vehicle and wireless service required. Wi-Fi Connect coverage and service not available everywhere. Valid in the contiguous U.S. and Alaska. Do not drive distracted. Go to att.com/solterra for terms and conditions. Up to 5 devices can be supported using in-vehicle connectivity. The Wi-Fi Connect trial begins at the time of enrollment activation and expires when 30 days or the earlier of 3GB of data is used or the 1-month period ends. Subscription required after trial. Integrated Streaming requires subscription for third-party provider services.

^Now through April 30, 2025, get 3.9% APR Financing for 63 months on a new 2025 Outback. Manufacturer offer. No down payment required. Monthly payment of \$17.58 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct/email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery from retailer stock by April 30, 2025.

^^ Now through April 30, 2025, get 3.9% APR Financing for 48 months on a new 2025 Crosstrek. Manufacturer offer. No down payment required. Monthly payment of \$22.53 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct/email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery form retailer stock by April 30, 2025.

‡‡ Now through April 30, 2025, get 3.9% APR Financing for 48 months on new 2025 Forester Base, Premium, Sport, Wilderness, Limited, and Touring trims. Manufacturer offer. No down payment required. Monthly payment of \$22.53 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct/email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery from retailer stock by April 30, 2025.

Subaru has the utmost respect for the environment and is a proud partner of Leave No Trace. Care was taken not to harm the environment when taking this photo.

The various Subaru house marks, logos, trademarks, and/or names used or featured are owned, registered, and/or exclusively licensed by or from Subaru Corporation or Subaru of America, Inc.

iPod and iPad are registered trademarks of Apple Inc.; Brembo is a registered trademark of Freni Brembo S.p.A.; Alcantara is a registered trademark of Alcantara S.p.A and Alcantara is produced by Toray Group.; Ultrasuede® is a registered trademark of Toray Industries, Inc.; TORSEN LSD® is a registered trademark of JTEKT TORSEN North America, Inc BBS is a registered trademark of BBS Kraftfahrzeugtechnik AG.; Bluetooth is a registered trademark of Bluetooth SIG, Inc.; HomeLink® and the HomeLink® house icon are registered trademarks of Gentex Corporation.; Tom Tom is a registered trademark of TomTom International BV; Aha and Harman Kardon are

a registered trademarks of Harman International Industries, Inc.; Android is a trademark of Google Inc.; HD Radio is a registered trademark of iBiquity Digital Corporation.; SiriusXM and SiriusXM NavTraffic are registered trademarks of SiriusXM Satellite Radio, Inc.; iHeart is a registered trademark of Clear Channel.

PLEASE REVIEW THESE IMPORTANT DISCLOSURES.

Subaru of America, Inc. reserves the right to make changes at any time without notice or obligation to the information contained on this Internet site, prices, incentive programs, specifications, equipment, colors, materials, product illustrations and to change or discontinue models. All prices are based upon Manufacturer's Suggested Retail Prices ('MSRP') in U.S. dollars (unless otherwise indicated) and exclude taxes, title fees, licensing, options and destination charges unless specifically included. Retailers are independent businesses and are free to set their own retail prices. All information contained at this Internet site is intended for the USA market only.

Some vehicles shown with accessory or aftermarket equipment.